




Westell's pre-configured application support monitors & manages these network elements

Current through **Application Package 3.15.1**. Contact Westell regarding models or versions underlined in red.


* Devices or versions marked with a red asterisk are supported with Westell's DeviceAgent feature.

Tower Lights



Vendor	Model/Variant	Version(s)
Dialight	High Intensity High Intensity INEM Medium Intensity Medium Intensity INEM A0-A1 Style A1-A6 Style Red Only INEM	A.31, A.40, A.41, A.42, A.45, A.47, A.49 B.41 B.6, B.61, B.63, B.8, B.10, B.11, B.12 A.40, B.41 A.1, A.2, A.4 A.6, A.7, A.8, A.9 B.41
ITL	ILS-2600 with MON-2682 module ILS-3600 with MON-2682 module	1.83 1.83
SPX Flash Technology	3630XX 9038XX Vanguard FTS 371X (SPX371X) Vanguard FTS 370X (SPXVanguard) Vanguard FTS 370X SNMP (SPXVanguardSNMP) Vanguard FTS 270 SNMP (SPX270SNMP)	Jun 26 2012 10:47:38 4747/9038 V1.3 2.7, 2.8, 2.9, 3.0, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.7.1, 3.7.2 3.3, 3.4, 3.5, 3.6, 3.7, 3.7.1, 3.7.2 V0.8.6, V1.0.F


Generators and Generator Controllers



Vendor	Model/Variant	Version(s)
Basler / MTU America	OnsiteEnergy DGC-2020 OnsiteEnergy MGC-2000 OnsiteEnergy MGC1550	3.17.02
Caterpillar	EMCP 4.2 <u>EMCP 4.2B</u> <u>EMCP 4.3</u> <u>EMCP 4.4</u>	V4.4.3
ComAp	InteliLite InteliGen NT	2.4 4.0
Cummins	Power Command	3.3
Deep Sea Electronics	5210 5220 7320 7410 7420	6.2a 6.2a 9.x.x

Generators and Generator Controllers continue on next page

Generators and Generator Controllers *continued*



Generac	EPanel	
	EPanel with Annunicator	
	G Panel	4.3A
	H100	3.4-4.0
	H100 with HTS	4.0
	H100 with HTS Ethernet	4.0
Intelilite	AMF25	1.4
Kohler	DEC550	3.04.3
	DEC3000 / AMP402	4.04
Lovato	RGK60	42
Polar Power	Supra Digital Control System	2.0.0.15



Fuel Monitoring


Vendor	Model/Variant	Version(s)
Veeder-Root	TLS-300 intelligent tank monitoring system	
	TLS-350 intelligent tank monitoring system	
Westell	A90-WS-10001 Industrial Rochester Hall-effect wireless tank sensor (<i>Exclusively supported by Westell Remote RMX-4000</i>)	

Plant or Power Source (Digital Power, Rectifiers, UPS)




Vendor	Model/Variant	Version(s)
Alpha	AMPS24	3.13
	Cordex CXC HP	2.20
	Cordex CXCi	2.14
	FXM	2.00.01
APC	Galaxy 500	GDENA9S300IC303
Delta	Orion	6.50B17
Eaton	9130	4.30, 4.32, 4.34, 4.36, 4.38
	9PX	6.00
Eltek	SmartPack	4.6, 4.7, 4.8, 4.9, 4.10
	SmartPack 2	405006.009 2.4X, 2.7.3, 2.8.1
	SmartPack S	2.8.1
Emerson	Netsure Rectifier	4.00, 4.02, 4.04, 4.10, 4.21
	Netsure M820B	4.00, 4.02, 4.04, 4.10, 4.21
	Netsure M830B	1.1.61, 3.2.00
GE	Infinity M/S with NE843A slot controller	3.3.24
Huawei	SMU Rectifier with ECC500S controller	V500R001C20SPC901T
Tripp Lite	SU3000RTXLCD3N SU16000RT4U	
VoltServer	MGT100	3.0.0-0
	MGT500	1.0.0
Hoymiles	DTU-Pro solar microinverter monitor	
ZTE	ZXDU	
	ZXDU68 W301 V.5.0	1.0G
	ZXDU68 W301 V.5.0R06M04	1.12.01.01

Automatic Transfer Switches



Vendor	Model/Variant	Version(s)
ASCO Power Technologies	SERIES 300 Group G 300 ATS	
Caterpillar	CTS ATS with MX250 Controller	2.01
Eaton	ATC300 controller ATC900 controller	
Generac	PSTS ATS (with Eaton ATC900 controller) TTS ATS	
Kohler	MPAC750 ATS MPAC1200 ATS MPAC1500 ATS	
Russ Electric	RPTCS ATS	

Batteries and Monitors



Vendor	Model/Variant	Version(s)
BatteryDAQ	2402W2/M6	
Polarium / Incell	SP48 Battery System	
LG Chem	EM048 Battery System	0.6, 1.8
Samsung	iUPS Lithium-Ion Battery System	1.0

Power Meters and Current Sensors




Vendor	Model/Variant	Version(s)
Acrel	PZ Series	
CCS	WattNode	
Elkor	WattsOn Split Phase WattsOn Three Phase WattsOn Mark II Split Phase WattsOn Mark II Three Phase WattsOn-MCM	
E-Mon	Class 3400 (Requires Modbus over RS485 or TCP/IP Ethernet)	
Forlong	DRT-301C DRT-301C2 DRS-2DM	
iSnail	VC, VC10, VC25	
Measurlogic	DTS DC	
Standardel	DPS520	

The following wireless meters are exclusively supported by Westell Remote RMX-4000:

Westell	A90-WS-10008 industrial voltage meter
	A90-WS-10009 industrial voltage meter
	A90-WS-100010 industrial current meter
	A90-WS-100011 industrial current meter

Environmental and Security Sensors



Vendor	Model/Variant	Version(s)
FenceHawk	RG-7781 electric fence monitor	
Figaro	CGM6812 gas sensor FCM6812 gas sensor	
Greystone	RH310A02C2E6 temperature and humidity sensor RH310A03C2A6 temperature and humidity sensor	
Novus	RHT-WM temperature and humidity sensor SBTEMP-RJ45 SiteBus temperature sensor	
Westell	560-000416 SiteBus temperature and humidity sensor 560-000516 SiteBus 1-wire temperature sensor, 20' RJ-45 cable 560-000453 SiteBus 1-wire temperature sensor, 10' RJ-45 cable	

The following wireless sensors are exclusively supported by Westell Remote RMX-4000:

Westell	A90-WS-10002 industrial temperature sensor	
	A90-WS-10003 industrial humidity sensor	
	A90-WS-10004 industrial door/window open-closed sensor	
	A90-WS-10005 industrial dry contact sensor for doors, switches, and other applications	
	A90-WS-10006 industrial activity sensor (detects sudden movement/non-movement and counts vibrations)	
	A90-WS-10007 industrial infrared motion sensor	

Other Supported Equipment



Vendor	Model/Variant	Version(s)
Lovato	EXM10 RS485 expansion module	
Westell	IGMT1010 intelligent fuse panel	
Westell	sbRelay2 SiteBus relay output	

HVAC Controllers



Vendor	Model/Variant	Version(s)
Airsys	ASLLC.2 ASMUC ASMUC.6	13B64, 13B87 1.5.020B
Bard	MC4001, MV5000 LV1000	2.7 (both models)
Coolsure	CoolBus	
Marvair	CommStat4 CommStat Touch	v62, v68 v68
Quest Controls	RSC 1000	1010

In-Building Antenna Systems Distributed Antenna Systems



Vendor	Model/Variant	Version(s)
Advanced RF Technologies	ADX-H DAS	13000F0200401045
	ADXV DAS	80000901600064
Corning	MobileAccess SC-450	7.0, 7.2
	ONE DAS	1.3, 2.2, 3.0, 3.4
CommScope (formerly Andrew)	ION-E	2.7.1.11, 2.8.1.64 , 2.8.2.64 , 2.8.2.77 , 2.8.2.91 , 2.8.2.98
	ION / MMC Plus ION-M Linux	6.50.0, 7.20.0, 7.50.0, 8.00.0, 8.20.0, 8.40.0 , 9.20.0
	ION / MMC Plus ION-M Windows	5.30.0
	ION / RMC1600 ION-M Linux	6.50.0, 7.0.1, 7.10, 7.20
	ION / RMC1600 ION-M Windows	6.50.0, 7.20.0
	ION / RMC1600 ION-U Linux	1.64.1, 1.70.0, 1.75.0, 1.80.0,
	ION / TSUN1/2 ION-B	1.95.0
	ION / TSUN4 ION-M Linux	5.1.1, 5.1.2
ION / TSUN4 ION-M Windows	6.50.0, 7.20.0 5.30.0	
CommScope (former vendor was TE Connectivity)	FlexWave Prism	8.1.0, 8.1.7, 9.0.3.7, 9.0.4.3
EXFO	Fiber Guardian	
JMA Wireless	Teko	3.2.0, 3.2.6, 3.2.8, 4.0.5, 4.0.9, 4.1.5
Microwave Photonics	OFW3478	
SOLiD	DMS-1200	4.2.0, 5.2.0, 6.1.0, 6.1.1, 6.3.0, 6.31, 6.3.3, 6.3.6
SYM Technologies	ASPOI DAS Tray	1.9.1, 1.10.1 with MIB 1.4*
Westell (formerly CSI)	UDIT	1.03.00, 1.03.01, 1.04.02, 2.00.01A, 2.00.02
Zinwave	3000 DAS	4.5, 4.6, 4.72

Public Safety Repeaters



Vendor	Model/Variant	Version(s)
Westell	DSP85 Repeater (all models) PS51080-SNMP Repeater* PS71090 Repeater* (all models)	3.0.9 REL*



Alarm Collectors

Vendor	Model/Variant	Version(s)
Dantel	WebMon*	
DPS Telecom	NetGuardian	G45*

Don't See Your Device or Version? Contact Westell Today to Gain Visibility into Your Network!



Westell Technologies Intelligent Site Management
Call: (800) 377-8766 Visit: www.westell.com
E-mail: info@westell.com

Follow on Twitter @Westell_Tech

Follow on LinkedIn, Westell

Subscribe to YouTube Channel, Westell Technologies Inc.

WESTELL.COM